



# R2-C

## Autonomous Monitoring Sensor

HANDLE  
WITH CARETOOLS  
REQUIREDESTIMATED  
30 MINUTES

### WHAT'S IN THE BOX




- |                      |                      |
|----------------------|----------------------|
| 1 R2-C sensor        | 6 (3) anchor bolts*  |
| 2 mounting plate     | 7 AC extension cable |
| 3 DC power adapter   | 8 (3) wall anchors*  |
| 4 (2) wi-fi antennas | 9 RJ45 cable         |
| 5 quick release bolt | 10 HDMI cable        |

\* anchors & bolts may have been shipped in advance

### PRODUCT DIMENSIONS

with wi-fi  
antennas  
attached





R2-C device weight (including antennas): **6.23 lbs**




### PoE (POWER OVER ETHERNET)

As an option, the R2 can be powered via the **Ethernet (RJ45) connection**:


- Standard: PoE++ (802.3bt Type 3)
- 51-Watt power consumption



### TOOLS REQUIRED


electric  
drill3/8"  
drill bit#2  
pencil#2 Phillips  
screwdriver

1




Place the **mounting plate** on the wall at the desired location and mark the **three (3) hole positions**.

2




Drill **three (3) 3/8-inch holes** at the marked hole positions.

3




Insert the **three (3) wall anchors** into the drilled holes, **rotating** the toggle clips 90 degrees to fit.

4




After tightening the anchor clips, **detach** the plastic straps, leaving the three anchors inserted.

5




**Attach the mount plate** to the wall, using the three (3) anchor bolts and a Phillips screwdriver.

6




**Place the R2-C sensor** onto the mount plate, aligning the pin on the plate with the hole on the bottom of the sensor chassis.

7




Insert the **quick release bolt** up through the hole in the lower unit and **hand-tighten** the assembly with the attached ring.

8



The **R2-C Sensor** is now ready for cable connections, setup and configuration.

CONNECTIONS



No.	Connection	Type	Description
1, 13	Antenna	Coaxial	(2) optional wi-fi antennas (included)
2	TV Switching	RS232	Switching between in-room TV & Virtual Care session
3	HDMI Out	HDMI	HDMI video out
4	HDMI In	HDMI	HDMI video in
5	Ethernet (LAN)	RJ45	Local network / Internet connectivity
6, 7, 8	USB	USB 3.0	USB ports
9	IR Out	Barrel Jack	Infrared out
10	External Mic	RJ45	External microphone in
11	DC 12V	Barrel Jack	Power in (DC 12 Volts)
12	On/Off	Toggle Switch	Device on/off

**CE Statements:**  
1) RF exposure information: The Maximum Permissible Exposure (MPE) level has been calculated based on a distance of d=20cm between the device and the human body. To maintain compliance with RF exposure requirements, always maintain a 20cm distance between the device and any human body. 2) Bluetooth (2402-2480MHz) Max EIRP is 9.25dBm. 3) Declaration of Conformity: Vuant Inc. hereby declares that this Type X3 radio equipment is in compliance with directive 2014/53/EU and RER 2017 (SI 2017/1206). This Declaration of Conformity is available at the following Internet address: <http://www.care.ai/compliance/ce>

**FCC Statements:**  
This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference; and (2) this device must accept any interference received, including interference that may cause undesired operation. NOTE: The manufacturer is not responsible for any radio or TV interference caused by unauthorized modifications or changes to this equipment. Such modifications or changes could void the user's authority to operate the equipment. NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. Nonetheless, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures: 1) Reorient or relocate the receiving antenna; 2) Increase the separation between the equipment and receiver; 3) Connect the equipment to an electric outlet on a circuit different from that to which the receiver is connected; 4) Consult the dealer or an experienced radio/TV technician for help.

**Federal Communication Commission (FCC) Radiation Exposure Statement**  
When using the product, maintain a distance of 20cm from the body to ensure compliance with RF exposure requirements. The Declaration of Conformity is available at the following Internet address: <http://www.care.ai/compliance/fcc>